

Electron Transfer and Unusual Chemical Transformations of F4-TCNQ in a Reaction with Mn-Phthalocyanine

Kataeva O., Metlushka K., Ivshin K., Kiiamov A., Alfonso V., Khrizanforov M., Budnikova Y., Sinyashin O., Krupskaya Y., Kataev V., Büchner B., Knupfer M.
Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

Abstract

© 2018 WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim The interaction of manganese phthalocyanine with F4-TCNQ is accompanied by the transformation of the acceptor molecule into a new organic ligand, the 4-(dicyanomethanido)tetra-fluorobenzoate dianion, resulting in the formation of a unique MnIII charge-transfer complex, in which two Mn phthalocyanine moieties are bridged by the dianion, with parallel arrangement of all aromatic fragments and an interplanar distance of 3.30 Å. The formation of the complex takes place in a 2:1 ratio, with the two electrons transferring from two donor molecules to an acceptor molecule. Magnetic measurements reveal that MnIII ions in the studied complex occur in the high-spin state $S = 2$ and are coupled antiferromagnetically, presumably by the superexchange mechanism through the 4-(dicyanomethanido)tetrafluorobenzoate dianion bridge, with an interaction constant of $J = 5 \text{ cm}^{-1}$ (7 K). According to the electrochemical data, the new complex appears to have unusual redox properties and might be described as an electronic reservoir with strong acceptor ability, being able to take seven electrons. Notably, all of the reduction-oxidation steps are reversible, proceeding without structural changes.

<http://dx.doi.org/10.1002/ejic.201800641>

Keywords

Electron transfer, Fluorinated ligands, Manganese, Phthalocyanines

References

- [1] a) A. B. Sorokin, *Chem. Rev.*, 2013, 113, 8152–8191;
- [2] b) P. Afanasiev and A. B. Sorokin, *Acc. Chem. Res.*, 2016, 49, 583–593;
- [3] c) H. Jia, Y. Yao, J. Zhao, Y. Gao, Z. Luo and P. Du, *J. Mater. Chem. A*, 2018, 6, 1188–1195.
- [4] A. A. Valiente-Gabioud, M. C. Miotto, M. E. Chesta, V. Lombardo, A. Binolfi and C. O. Fernández, *Acc. Chem. Res.*, 2016, 49, 801–808.
- [5] a) G. Bottari, G. de la Torre and T. Torres, *Acc. Chem. Res.*, 2015, 48, 900–910;
- [6] b) C. B. KC and F. D'Souza, *Coord. Chem. Rev.*, 2016, 322, 104–141;
- [7] c) S. Liu, Y.-P. Wang, X. Li, J. N. Fry and H.-P. Cheng, *Phys. Rev. B: Condens. Matter Mater. Phys.* 2018, 97, 035409–1–035409–8.
- [8] a) T. Inabe and Y. Maruyama, *Bull. Chem. Soc. Jpn.*, 1990, 63, 2273–2280;
- [9] b) M. Ishikawa, T. Asari, M. Matsuda, H. Tajima, N. Hanasaki, T. Naito and T. Inabe, *J. Mater. Chem.*, 2010, 20, 4432–4438;

- [10] c) M. Matsuda, G. Yoshida, J.-I. Yamaura, T. Inabe and H. Tajima, *Dalton Trans.*, 2017, 46, 1892–1897.
- [11] J. B. Gilchrist, S. Heutz and D. W. McComb, *Curr. Opin. Solid State Mater. Sci.*, 2017, 21, 68–76.
- [12] a) H. Kato, S. Takemura, H. Kobe, Y. Mori, A. Yamada, Y. Matsuoka, Y. Watanabe, K. Shimada, T. Hiramatsu, N. Nanba and K. Matsui, *J. Vac. Sci. Technol. A*, 2008, 26, 716–719;
- [13] b) J. Jiang (Ed.) “Functional Phthalocyanine Molecular Materials” in *Structure and Bonding*, Vol. 135, Springer-Verlag, Berlin, 2010, 325;
- [14] c) G. Bottari, M. Á. Herranz, L. Wibmer, M. Volland, L. Rodríguez-Pérez, D. M. Guldi, A. Hirsch, N. Martín, F. D'Souza and T. Torres, *Chem. Soc. Rev.*, 2017, 46, 4464–4500;
- [15] d) K. W. Hipps and U. Mazur, *Langmuir*, 2018, 34, 3–17;
- [16] e) B. Wang, V. Engelhardt, A. Roth, R. Faust and D. M. Guldi, *Nanoscale*, 2017, 9, 11632–11639.
- [17] a) T. Wang, T. R. Kafle, B. Kattel and W.-L. Chan, *J. Am. Chem. Soc.*, 2017, 139, 4098–4106;
- [18] b) M. Wolf, C. Villegas, O. Trukhina, J. L. Delgado, T. Torres, N. Martín, T. Clark and D. M. Guldi, *J. Am. Chem. Soc.*, 2017, 139, 17474–17483.
- [19] F. Rückerl, D. Waas, B. Büchner, M. Knupfer, D. R. T. Zah, F. Haidu, T. Hahn and J. Kortus, *Beilstein J. Nanotechnol.*, 2017, 8, 1601–1615.
- [20] a) G. McHale, M. I. Newton, P. D. Hooper and M. R. Willis, *Opt. Mater.*, 1996, 6, 89–92;
- [21] b) W. Gao and A. Kahn, *Org. Electron.*, 2002, 3, 53–63;
- [22] c) C. Videlot-Ackermann, J. Ackermann and F. Fages, *Synth. Met.*, 2007, 157, 551–557;
- [23] d) T. Mayer, C. Hein, E. Mankel, W. Jaegermann, M. M. Müller and H.-J. Kleebe, *Org. Electron.*, 2012, 13, 1356–1364;
- [24] e) Y. Takahashi, K. Hayakawa, K. Takayama, S. Yokokura, J. Harada, H. Hasegawa and T. Inabe, *Chem. Mater.*, 2014, 26, 993–998.
- [25] F. Rückerl, B. Mahns, E. Dodbiba, V. Nikolis, M. Herzig, B. Büchner, M. Knupfer, T. Hahn and J. Kortus, *J. Chem. Phys.* 2016, 145, 114702–1–114702–7.
- [26] a) B. Mahns, O. Kataeva, D. Islamov, S. Hampel, F. Steckel, C. Hess, M. Knupfer, B. Büchner, C. Himcinschi, T. Hahn, R. Renger and J. Kortus, *Cryst. Growth Des.*, 2014, 14, 1338–1346;
- [27] b) O. Kataeva, M. Khrizanforov, Y. Budnikova, D. Islamov, T. Burganov, A. Vandyukov, K. Lyssenko, B. Mahns, M. Nohr, S. Hampel and M. Knupfer, *Cryst. Growth Des.*, 2016, 16, 331–338.
- [28] a) L. J. Pace, A. Ulman and J. A. Ibers, *Inorg. Chem.*, 1982, 21, 199–207;
- [29] b) M. M. Olmstead, A. de Bettencourt-Dias, H. M. Lee, D. Pham and A. L. Balch, *Dalton Trans.*, 2003, 3227–3232;
- [30] c) P. Mondal and S. P. Rath, *Chem. Eur. J.*, 2016, 22, 5607–5619.
- [31] a) K.-I. Sugiura, S. Mikami, M. T. Johnson, J. S. Miller, K. Iwasaki, K. Umishita, S. Hino and Y. Sakata, *Chem. Lett.*, 1999, 28, 925–926;
- [32] b) M. T. Johnson, A. M. Arif and J. S. Miller, *Eur. J. Inorg. Chem.*, 2000, 2000, 1781–1787;
- [33] c) W. Hibbs, A. M. Arif, M. Botoshansky, M. Kaftory and J. S. Miller, *Inorg. Chem.*, 2003, 42, 2311–2322.
- [34] F. Ghani, J. Kristen and H. Riegler, *J. Chem. Eng. Data*, 2012, 57, 439–449.
- [35] a) M. R. Suchanski and R. P. Van Duyne, *J. Am. Chem. Soc.*, 1976, 98, 250–252;
- [36] b) J. S. Miller, A. H. Reis Jr, E. Gebert, J. J. Ritsko, W. R. Salaneck, L. Kovnat, T. W. Cape and R. P. Van Duyne, *J. Am. Chem. Soc.*, 1979, 101, 7111–7113.
- [37] a) J. P. Hill, J. Santiago, T. Sugino, M. Shiro and Y. Shimizu, *Inorg. Chim. Acta*, 2001, 315, 107–111;
- [38] b) Q.-Y. Lv, W.-J. Lei, Y.-L. Liu, S.-Z. Zhan and J.-S. Ye, *Polyhedron*, 2010, 29, 2780–2786.
- [39] a) J. Obirai and T. Nyokong, *Electrochim. Acta*, 2005, 50, 3296–3304;
- [40] b) M. Kandaz and A. Koca, *Polyhedron*, 2009, 28, 2933–2942;
- [41] c) J. H. Zagal and F. Bedioui (Eds.), in: *Electrochemistry of N Macrocyclic Metal Complexes*, Vol. 2: Biomimesis, Electroanalysis and Electrosynthesis of MN₄ Metal Complexes, Springer International Publishing, Switzerland, 2016, p. 436.
- [42] P. V. Kamat, D. M. Guldi and K. M. Kadish (Eds.), in: *Fullerenes 2000*, Vol. 10: Chemistry and Physics of Fullerenes and Carbon Nanomaterials: Proceedings of the International Symposium, Electrochemical Society, Pennington, N. J. 2000, p. 426.
- [43] J. Bartolomé, C. Monton and I. K. Schuller in *Molecular Magnets: Physics and Applications* (Eds.: J. Bartolomé, F. Luis and J. F. Fernández), Springer-Verlag, Berlin, 2014, pp. 221–245.
- [44] A. Abragam and B. Bleaney (Eds.), in: *Electron Paramagnetic Resonance of Transition Ions*, Clarendon Press, Oxford, 1970, p. 911.
- [45] a) A.-L. Barra, D. Gatteschi, R. Sessoli, G. L. Abbati, A. Cornia, A. C. Fabretti and M. G. Uytterhoeven, *Angew. Chem. Int. Ed. Engl.*, 1997, 36, 2329–2331;

- [46] Angew. Chem., 1997, 109, 2423;
- [47] b) K. A. Campbell, M. R. Lashley, J. K. Wyatt, M. H. Nantz and R. D. Britt, J. Am. Chem. Soc., 2001, 123, 5710–5719;
- [48] c) J. Krzystek and J. Telser, J. Magn. Reson., 2003, 162, 454–465;
- [49] d) J. Krzystek, J. Telser, J. Li and M. A. Subramanian, Inorg. Chem., 2015, 54, 9040–9045.
- [50] Bruker, APEX3 Crystallography Software Suite, Bruker AXS, Inc., Madison, WI, USA, 2016.
- [51] Bruker, SAINT Crystallography Software Suite, Bruker AXS, Inc., Madison, WI, USA, 2016.
- [52] G. M. Sheldrick, TWINABS, Version 2012/1, Georg-August-Universität Göttingen, Göttingen, Germany, 2012.
- [53] L. Krause, R. Herbst-Irmer, G. M. Sheldrick and D. Stalke, J. Appl. Crystallogr., 2015, 48, 3–10.
- [54] G. M. Sheldrick, Acta Crystallogr., Sect. A: Found. Crystallogr., 2008, 64, 112–122.
- [55] C. Golze, A. Alfonsov, R. Klingeler, B. Büchner, V. Kataev, C. Mennerich, H.-H. Klauss, M. Goiran, J.-M. Broto, H. Rakoto, S. Demeshko, G. Leibelng and F. Meyer, Phys. Rev. B: Condens. Matter Mater. Phys., 2006, 73, 224403.